## IN THE CLAIMS:

- 1. (Currently Amended) An anti-microbial composition comprising:
  - (i) a C<sub>1</sub> to C<sub>4</sub> monohydric alcohol carrier fluid, present at a level of at least 50% by weight of the total composition, (excluding any volatile propellant present);
  - (ii) an iron (III) chelator selected from the group consisting of:
    - (a) N,N'-ethylenebis[2-(2-hydroxyphenyl)glycine],
    - (b) triethylenetetraaminehexaacetic acid, and
    - (c) diethylenetriaminepentaacetic acid-
  - (iii) a solubility promoter selected from the group consisting of:
    - (a) water;
    - (b) an organic amine;
    - (c) a polyhydric alcohol or derivative thereof;
    - (d) a volatile propellant having fluorine-carbon or oxygen-carbon bonds;
    - (e) any combination of (a) to (d).
- 2. (Original) An anti-microbial composition according to claim 1, that is a deodorant composition for use on the human body or on apparel worn in close proximity thereto.
- 3. (Previously Amended) An anti-microbial composition according to claim 1, that is a homogeneous solution.
- 4. (Original) An anti-microbial composition according to claim 3, that is a homogeneous solution in aqueous ethanol.
- 5. (Previously Amended) An anti-microbial composition according to claim 1, wherein the weight ratio of C<sub>1</sub>-C<sub>4</sub> monohydric alcohol carrier fluid to water is greater than 65:35.

- 6. (Previously Amended) An anti-microbial composition according to claim 1, wherein the weight ratio of C<sub>1</sub>-C<sub>4</sub> monohydric alcohol carrier fluid to water is greater than 75:25 and the solubility promoter comprises an organic amine.
- 7. (Currently Amended) An anti-microbial composition according to claim 6, wherein the organic amine is present at a level sufficient to neutralise neutralize at least 60% of any acid groups on the iron (III) chelator.
- 8. (Currently Amended) An anti-microbial composition according to claim 6, wherein the organic amine is present at a level sufficient to lead to an aqueous solution of the chelator salt having a pH of between 6 and 8 (at a molar concentration of chelator salt equal to that present in the composition).
- 9. (Previously Amended) An anti-microbial composition according to claim 1, wherein the iron (III) chelator has a binding coefficient for iron (III) of greater than 10<sup>26</sup>.
- 10. (Cancelled)
- 11. (Cancelled)
- 12. (Cancelled)
- 13. (Previously Amended) An anti-microbial composition according to claim 1, wherein the chelator is present at a concentration of 0.01% to 10% by weight of the composition, excluding any volatile propellant present.
- 14. (Previously Amended) An anti-microbial composition according to claim 1, comprising an additional anti-microbial agent.

- 15. (Original) An anti-microbial composition according to claim 14 wherein the additional anti-microbial agent is a cationic bactericide.
- 16. (Previously Amended) An anti-microbial composition according to claim 1, comprising fragrance material at up to 4% by weight of the composition, excluding any volatile propellant present.
- 17. (Previously Amended) An anti-microbial composition according to claim 1, that comprises a volatile propellant.
- 18. (Original) An anti-microbial composition according to claim 17, wherein the volatile propellant comprises from 30 to 99% by weight of the total composition.
- 19. (Original) An anti-microbial composition according to claim 18, that comprises greater than 40% by weight of volatile propellant and a solubility promoter selected from the group comprising:
  - (a) an organic amine free of any N-H bonds and/or O-H bonds;
  - (b) an organic amine and a polyhydric alcohol or derivative thereof;
- (c) an organic amine and a volatile propellant having fluorine-carbon or oxygen-carbon bonds.
- 20. (Previously Amended) An anti-microbial composition according to claim 17, wherein the weight ratio of  $C_1$ - $C_4$  monohydric alcohol carrier fluid to water is between 95:5 and 99:1.
- 21. (Previously Amended) An anti-microbial composition according to claim 17, wherein the weight ratio of  $C_1$ - $C_4$  monohydric alcohol carrier fluid to water is greater than 99:1.
- 22. (Cancelled)

- 23. (Cancelled)
- 24. (Cancelled)
- 25. (Cancelled)
- 26. (Cancelled)
- 27. (Currently Amended) An anti-microbial composition comprising:
  - (i) a C<sub>1</sub> to C<sub>4</sub> monhydric alcohol carrier fluid, present at a level of greater than 50% by weight of the total composition, (excluding any volatile propellant present);
  - (ii) an iron (III) chelator selected from the group consisting of:
    - (a) N,N'-ethylenebis[2-(2-hydroxyphenyl)glycine],
    - (b) triethylenetetraaminehexaacetic acid, and
    - (c) diethylenetriaminepentaacetic acid and
  - (iii) water as a solubility promoter.